

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L2 and (temperature threshold or predetermined temperature) </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 10 Documents in Display Format: <div style="border: 1px solid black; padding: 0 5px;">-</div> Starting with Number <div style="border: 1px solid black; padding: 0 5px;">1</div> </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Wednesday, December 22, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L3</u>	L2 and (temperature threshold or predetermined temperature)	113	<u>L3</u>
<u>L2</u>	L1 and "control valve"	647	<u>L2</u>
<u>L1</u>	374/\$	31915	<u>L1</u>

END OF SEARCH HISTORY

Search Forms
Search Results
Help

Freeform Search

User Searches

Preferences

Logout

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EBO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

L31 and (heat\$3 or cool\$3)

Display: **Documents in Display Format:** **Starting with Number**

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Wednesday, December 22, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	DB=USPT; PLUR=YES; OP=ADJ		
L35	3933045.pn.	1	L35
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L34	0103886	49	L34
L33	L32	109	L33
L32	L31 and (heat\$3 or cool\$3)	109	L32
L31	L16 and (above predetermined temperature or exceed\$3 predetermined temperature)	121	L31
L30	L16 and "predetermined temperature"	2104	L30
L29	L16 and "average predetermined temperature"	1	L29
L28	L16 and "average threshold temperature"	0	L28
L27	L26 and (average\$3 temperature or mean temperature)	231	L27
L26	L25 and (heat\$3 or cool\$3 or quench\$3)	2231	L26
L25	L16 and (temperature control or thermal control)	2476	L25
L24	L23 and "parameter"	15	L24
L23	L22 and (die or cast or mold or mould)	52	L23

<u>L22</u> L16 and (open\$3 valve or clos\$3 valve)	618 <u>L22</u>
<u>L21</u> L20 and (die or mold or cast or mould)	19 <u>L21</u>
<u>L20</u> L16 and "open valve"	214 <u>L20</u>
<u>L19</u> L16 and "temperature controlled valve"	1 <u>L19</u>
<u>L18</u> L17 and (average\$1 temperature or mean temperature)	36 <u>L18</u>
<u>L17</u> L16 and "instantaneous temperature"	196 <u>L17</u>
<u>L16</u> 374/\$	31915 <u>L16</u>
<u>L15</u> L14 and (temperature or thermal)	66 <u>L15</u>
<u>L14</u> (die or mold or mould) same (cooling valve or heating valve)	85 <u>L14</u>
<u>L13</u> L12 and (valve or switch or trigger or clos\$3)	44 <u>L13</u>
<u>L12</u> L11 and (cool\$3)	76 <u>L12</u>
<u>L11</u> die temperature control	117 <u>L11</u>
<u>L10</u> L8 and (instantaneous temperature or continuous temperature or real time temperature)	0 <u>L10</u>
<u>L9</u> L7 and (averag\$3 temperature)	8 <u>L9</u>
<u>L8</u> L7 and (average\$3 temperature)	0 <u>L8</u>
<u>L7</u> (die) same (temperature) same (cool\$3) same (control\$3 valve or control\$3 switch or trigger)	388 <u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>	
<u>L6</u> L5 and (die or mold or cast or mould)	15 <u>L6</u>